

CLAIMS

What is claimed is:

Sub
CK

1. A universal presentation device comprising:
an electronic control device communicatively coupled with a computer system to
provide a control mechanism for the computer system; and
a coherent light source configured to provide a coherent light beam for pointing the
coherent light beam on an object,
wherein the electronic control device and the coherent light source are dimensioned to
form a substantially unitary device when at least one of the electronic control device
or the coherent light source is operational.

2. The universal presentation device in claim 1, wherein the substantially unitary
device is dimensioned as a substantially elongated housing.

3. The universal presentation device in claim 2, wherein the coherent light beam
is dispensed from a substantially first side of the substantially elongated housing.

4. The universal presentation device in claim 2, wherein a control mechanism of
the electronic control device is mounted on substantially a first side of the substantially
elongated housing.

5. The universal presentation device in claim 1, wherein a control mechanism of
the electronic control device is mounted on a surface of a housing.

1 6. The universal presentation device in claim 5, wherein a control mechanism of
2 the electronic control device and a lens of the coherent light source is mounted on
3 substantially a first end of the housing.

SUBPART
2 7. The universal presentation device in claim 5, wherein a control mechanism of
3 the electronic control device and a lens of the coherent light source mounted on substantially
 opposite ends of the housing.

1 8. The ~~universal presentation device~~ in claim 6, further comprising a writing
2 mechanism, the writing mechanism mounted in a substantially same side of the housing as at
3 least one of either the control mechanism or the lens.

1 9. The universal presentation device in claim 3, wherein a control mechanism of
2 the electronic control device is mounted on the substantially second side of the substantially
3 elongated housing.

1 10. The universal presentation device in claim 3, wherein a control mechanism of
2 the electronic control device is mounted on the substantially first side of the substantially
3 elongated housing.

1 11. The universal presentation device in claim 1, further comprising a writing
2 mechanism, wherein the writing mechanism couples with the electronic control device and
3 the coherent light source to form a substantially unitary device when at least one from the
4 group comprising the electronic control device, the coherent light source, and the writing
5 mechanism is operational.

12. ~~The universal presentation device in claim 1, wherein the electronic control device comprises a gyroscope system, the gyroscope system mounted within a housing.~~

13. The universal presentation device in claim 12, wherein the gyroscope system includes a switch for making a selection on a display of the computer system.

14. The universal presentation device in claim 12, further comprising a writing mechanism, the writing mechanism and a lens of the coherent light source mounted in substantially a same side of the housing.

15. The universal presentation device in claim 12, further comprising a writing mechanism, the writing mechanism and a lens of the coherent light source mounted in substantially an opposite side of the housing as a lens for the coherent light source.

16. ~~A modular universal presentation device comprising:~~

a first presentation element configured to provide a first presentation function, the first presentation function including the use of an electrical circuit;

a second presentation element configured to provide a second presentation function,

wherein the first presentation element and the second presentation element couple together to form a unitary article.

17. The modular universal presentation device in claim 16, wherein the first presentation element includes one from the group comprising a laser pointer element and a pointing device element.

1 18. ~~The modular universal presentation device in claim 16, wherein the second~~
2 presentation element includes one from the group comprising a writing instrument element.

1 19. ~~The modular universal presentation device in claim 16, wherein the first~~
2 presentation element and the second presentation element couple with a releasable locking
3 assembly.

09632196-080200